Age-Related Macular Degeneration (AMD) Risk and Symptom Assessment

AMD is the leading cause of vision loss among older Americans. It is a progressive condition that causes a part of your retina called the macula to deteriorate with age. The macula is responsible for your central vision, which allows you to do things like read, watch TV, recognize faces and drive.

There are several factors that listed below. Check all that ap	may increase your risk of develop ply:	oing AMD, including the ones
☐ 50 years of age or older	☐ Current or past smoke	r
☐ Family history of AMD	☐ Overweight	
☐ Caucasian (white)	☐ Heart disease, high blo	od pressure and/or high cholesterol
f minutes it takes you to adjust		ne AdaptDx [®] to measure the number number is your RI, or Rod Intercept, est is non-invasive and takes 5-10
f minutes it takes you to adjust nd it can help us detect AMD a	from bright light to darkness. This t its earliest stages. The AdaptDx to	number is your RI, or Rod Intercept,
f minutes it takes you to adjust and it can help us detect AMD a ninutes to complete Early symptoms of	from bright light to darkness. This t its earliest stages. The AdaptDx to AMD can be seen in the back of your e	number is your RI, or Rod Intercept,
f minutes it takes you to adjust nd it can help us detect AMD a ninutes to complete Early symptoms of Before any structural changes	from bright light to darkness. This t its earliest stages. The AdaptDx to AMD can be seen in the back of your e	number is your RI, or Rod Intercept, est is non-invasive and takes 5-10
f minutes it takes you to adjust and it can help us detect AMD a ninutes to complete Early symptoms of Before any structural changes early symptoms. Check all that	from bright light to darkness. This t its earliest stages. The AdaptDx to AMD can be seen in the back of your eat apply:	number is your RI, or Rod Intercept, est is non-invasive and takes 5-10 ye, you may experience the following

